

Certificate of Analysis



To view the certificate of analysis for this product, scan the QR code or visit coa.milehighlabs.com and enter the lot number.



Final Product: Broad Spectrum CBD Distillate 2.0

Lot Number: L2405B032

Date of Manufacture: May 2024 **Expiration:** May 2026

MILE HIGH LABS

AT A GLANCE		Organoleptics Passed	Potency Passed	Residual Solvents Passed	Elemental Impurities Passed	Mycotoxins Passed	Microbials Passed	Pesticides Passed
Test	Methodology	Specification	Test Results	Pass/Fail				
Color and Appearance	TM-004 ¹ / Contract Lab ²	Yellow to amber, translucent, viscous to semi-solid liquid.	Conforms	PASS				
CBD Potency	Contract Lab ²	80 – 90%	83.8%	PASS				
THC Content (% w/w)	THC (Δ9-Tetrahydrocannabinol)	Contract Lab ²	≤ 0.1%	0.06%	PASS			
	THCA (Δ9-Tetrahydrocannabinolic Acid)	Contract Lab ²	≤ 0.1%	ND	PASS			
	Total THC (% w/w, THC + THCA * 0.877)	Contract Lab ²	≤ 0.1%	0.06%	PASS			
Related Cannabinoid Content (% w/w)	CBN (Cannabinol)	Contract Lab ²	≤ 0.1%	0.08%	PASS			
	d8-THC (Δ8-Tetrahydrocannabinol)	Contract Lab ²	≤ 0.1%	ND	PASS			
	THCV (Tetrahydrocannabivarin)	Contract Lab ²	≤ 0.1%	0.06%	PASS			
	THCVA (Tetrahydrocannabivarinic acid)	Contract Lab ²	≤ 0.1%	ND	PASS			
	CBC (Cannabichromene)	Contract Lab ²	Report % w/w	0.06%	PASS			
	CBCA (Cannabichromenic acid)	Contract Lab ²	Report % w/w	ND	PASS			
	CBDA (Cannabidiolic acid)	Contract Lab ²	Report % w/w	ND	PASS			
	CBDVA (Cannabidivarinic acid)	Contract Lab ²	Report % w/w	ND	PASS			
	CBDV (Cannabidivarin)	Contract Lab ²	Report % w/w	1.21%	PASS			
	CBGA (Cannabigerolic acid)	Contract Lab ²	Report % w/w	ND	PASS			
	CBG (Cannabigerol)	Contract Lab ²	Report % w/w	3.01%	PASS			
	CBL (Cannabicyclol)	Contract Lab ²	Report % w/w	ND	PASS			
	Total (Sum of all observed RCs)	Contract Lab ²	Report % w/w	4.42%	PASS			
	Total Cannabinoids (CBD plus total RCs, % w/w)	Contract Lab ²	Report % w/w	88.2%	PASS			

¹MHL in-house method.

²All contract lab testing is performed by labs that are ISO 17025 and CDPHE certified.

³Calculations performed by MHL Quality

⁴Refer to table on page 3 for individual pesticides and associated limits.

697 N. Denver Ave, Ste. 132 Loveland, CO 80537

Page 1/3

Specification: FX-113 Broad Spectrum CBD Distillate 2.0

Version: v2.0

US Sales
sales@milehighlabs.com
 +1 (833) 223-1011

UK Sales
saleseu@milehighlabs.com
 +44 (0) 28 9099 5253

The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you, the customer, to decide whether and how to use this information. Mile High Labs or any of its affiliates (the "Company") makes no representations or warranties about the suitability of any of the Company's products for your specific intended use or any use whatsoever. Furthermore, all express or implied warranties of non-infringement, merchantability, or fitness for a particular purpose are hereby and completely disclaimed. The Company expressly disclaims any responsibility whatsoever for any alleged liability or damage(s) arising out of customer's use of any of the Company's products or relating to any of the foregoing. The results of this report relate only to the material or product analyzed. All contract laboratories are accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.

Certificate of Analysis



To view the certificate of analysis for this product, scan the QR code or visit coa.milehighlabs.com and enter the lot number.



Final Product: Broad Spectrum CBD Distillate 2.0

Lot Number: L2405B032

Date of Manufacture: May 2024 **Expiration:** May 2026

MILE HIGH LABS

Test	Methodology	Specification	Test Results	Pass/Fail	
Residual Solvents	Acetone	Contract Lab ²	< 1,000 ppm	ND	PASS
	Benzene	Contract Lab ²	< 2 ppm	ND	PASS
	Butanes	Contract Lab ²	< 1,000 ppm	ND	PASS
	Ethanol	Contract Lab ²	< 1,000 ppm	ND	PASS
	Ethyl Acetate	Contract Lab ²	< 1,000 ppm	ND	PASS
	Heptanes	Contract Lab ²	< 1,000 ppm	ND	PASS
	Hexane	Contract Lab ²	< 60 ppm	ND	PASS
	Isopropyl Alcohol	Contract Lab ²	< 1,000 ppm	ND	PASS
	Methanol	Contract Lab ²	< 600 ppm	ND	PASS
	Pentane	Contract Lab ²	< 1,000 ppm	ND	PASS
	Propane	Contract Lab ²	< 1,000 ppm	ND	PASS
	Toluene	Contract Lab ²	< 1,000 ppm	ND	PASS
	Total Xylenes (m, p, o-xylenes)	Contract Lab ²	< 430 ppm	ND	PASS
Pesticides	Individual Pesticide Content	Contract Lab ²	Individual Pesticide Limit ³	Conforms	PASS
Elemental Impurities	Arsenic (ppm)	Contract Lab ²	< 1.5 ppm	ND	PASS
	Cadmium (ppm)	Contract Lab ²	< 0.5 ppm	ND	PASS
	Lead (ppm)	Contract Lab ²	< 0.5 ppm	ND	PASS
	Mercury (ppm)	Contract Lab ²	< 1.5 ppm	ND	PASS
Mycotoxins	B ₁ (AFB ₁)	Contract Lab ²	< 2 ppb	ND	PASS
	B ₂ (AFB ₂)	Contract Lab ²	< 0.5 ppb	ND	PASS
	G ₁ (AFG ₁)	Contract Lab ²	< 0.5 ppb	ND	PASS
	G ₂ (AFG ₂)	Contract Lab ²	< 0.5 ppb	ND	PASS
	Ochratoxin	Contract Lab ²	< 1.0 ppb	ND	PASS
	Total (B ₁ +B ₂ +G ₁ +G ₂)	Contract Lab ²	< 4 ppb	ND	PASS
Microbials	Salmonella spp.	Contract Lab ²	Absent in 25 g	Absent / 25g	PASS
	E. coli (STEC) - Bacteria	Contract Lab ²	Absent in 25 g	Absent / 25g	PASS
	Total coliforms	Contract Lab ²	< 100 cfu/g	<10 cfu/g	PASS
	Total aerobic plate count	Contract Lab ²	< 10,000 cfu/g	<100 cfu/g	PASS
	Total yeast and mold	Contract Lab ²	< 1,000 cfu/g	<10 cfu/g	PASS

¹MHL in-house method.

²All contract lab testing is performed by labs that are ISO 17025 and CDPHE certified.

³Calculations performed by MHL Quality

⁴Refer to table on page 3 for individual pesticides and associated limits.

697 N. Denver Ave, Ste. 132 Loveland, CO 80537

Page 2/3

Specification: FX-113 Broad Spectrum CBD Distillate 2.0

Version: v2.0

US Sales
sales@milehighlabs.com
 +1 (833) 223-1011

UK Sales
saleseu@milehighlabs.com
 +44 (0) 28 9099 5253

The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you, the customer, to decide whether and how to use this information. Mile High Labs or any of its affiliates (the "Company") makes no representations or warranties about the suitability of any of the Company's products for your specific intended use or any use whatsoever. Furthermore, all express or implied warranties of non-infringement, merchantability, or fitness for a particular purpose are hereby and completely disclaimed. The Company expressly disclaims any responsibility whatsoever for any alleged liability or damage(s) arising out of customer's use of any of the Company's products or relating to any of the foregoing. The results of this report relate only to the material or product analyzed. All contract laboratories are accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.

Certificate of Analysis



To view the certificate of analysis for this product, scan the QR code or visit coa.milehighlabs.com and enter the lot number.



Final Product: Broad Spectrum CBD Distillate 2.0

Lot Number: L2405B032

Date of Manufacture: May 2024 **Expiration:** May 2026

MILE HIGH LABS

Residual Pesticide Limits (ppb)

Abamectin	300	Fenoxycarb	100	Spiromesifen	3,000
Acephate	3,000	Fenpyroximate	2,000	Spirotetramat	3,000
Acequinocyl	2,000	Fipronil	100	Spiroxamine	100
Acetamiprid	3,000	Fonicamid	2,000	Tebuconazole	1,000
Aldicarb	100	Fludioxonil	3,000	Thiacloprid	100
Azoxystrobin	3,000	Hexythiazox	2,000	Thiamethoxam	1,000
Bifenazate	3,000	Imazail	100	Trifloxystrobin	3,000
Bifenthrin	500	Imidacloprid	1,000		
Boscalid	3,000	Kresoxim-Methyl	1,000		
Captan	3,000	Malathion	2,000		
Carbaryl	500	Metalaxyl	3,000		
Carbofuran	100	Methiocarb	100		
Chlorantraniliprole	3,000	Methomyl	100		
Chlordane	100	Methyl Parathion	100		
Chlorfenapyr	100	Mevinphos	100		
Chloromequat Chloride	3,000	Myclobutanil	3,000		
Chlorpyrifos	100	Naled	500		
Clofentazine	500	Oxamyl	500		
Coumaphos	100	Paclobutrazol	100		
Cyfluthrin	1,000	Pentachloronitrobenzene	200		
Cypermethrin	1,000	Permethrin	1,000		
Daminozide	100	Phosmet	200		
Diazinon	200	Piperonyl butoxide	3,000		
Dichlorvos (DDVP)	100	Prallethrin	400		
Dimethoate	100	Propiconazole	1,000		
Dimethomorph	3,000	Propoxur	100		
Ethoprop(hos)	100	Pyrethrins	1,000		
Etofenprox	100	Pyridaben	3,000		
Etoxazole	1,500	Spinetoram	3,000		
Fenhexamid	3,000	Spinosad A & D	3,000		

¹MHL in-house method.

²All contract lab testing is performed by labs that are ISO 17025 and CDPHE certified.

³Calculations performed by MHL Quality

⁴Refer to table on page 3 for individual pesticides and associated limits.

697 N. Denver Ave, Ste. 132 Loveland, CO 80537

Page 3/3

Specification: FX-113 Broad Spectrum CBD Distillate 2.0

Version: v2.0

Suzanne Butler

Suzanne Butler (Jun 11, 2024 14:28 MDT)

Ryan Baxter

Ryan Baxter (Jun 11, 2024 14:29 MDT)

Quality Designee

Prepared by

Date

Quality Associate II

Approved by

Date

US Sales

sales@milehighlabs.com
+1 (833) 223-1011

UK Sales

saleseu@milehighlabs.com
+44 (0) 28 9099 5253

The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you, the customer, to decide whether and how to use this information. Mile High Labs or any of its affiliates (the "Company") makes no representations or warranties about the suitability of any of the Company's products for your specific intended use or any use whatsoever. Furthermore, all express or implied warranties of non-infringement, merchantability, or fitness for a particular purpose are hereby and completely disclaimed. The Company expressly disclaims any responsibility whatsoever for any alleged liability or damage(s) arising out of customer's use of any of the Company's products or relating to any of the foregoing. The results of this report relate only to the material or product analyzed. All contract laboratories are accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.